

**DOCKET NO.: CARP-0057****PATENT**

variable regions, wherein the donor amino acids replace corresponding amino acids in the acceptor immunoglobulin heavy or light chain frameworks, and each of said donor amino acids [is adjacent to a CDR in the donor immunoglobulin sequence or] contributes to antigen binding as determined by X-ray crystallography.

28. (Twice Amended) A humanized immunoglobulin having complementarity determining regions (CDRs) from a donor immunoglobulin and heavy and light chain variable region frameworks from human acceptor immunoglobulin heavy and light chains, which humanized immunoglobulin specifically binds to an antigen with an effective antigen binding affinity, wherein said humanized immunoglobulin comprises amino acids from the donor immunoglobulin framework outside both the Kabat CDRs and the structural loop CDRs of the variable regions, wherein the donor amino acids replace corresponding amino acids in the acceptor immunoglobulin heavy or light chain frameworks, and each of said donor amino acids [is adjacent to a CDR in the donor immunoglobulin sequence or] contributes to antigen binding as determined by X-ray crystallography.

Please add the following claim:

49. A humanized immunoglobulin having complementarity determining regions (CDRs) from a donor immunoglobulin and heavy and light chain variable region frameworks from human acceptor immunoglobulin heavy and light chains, which humanized immunoglobulin specifically binds to an antigen with an affinity constant of at least  $10^8 \text{ M}^{-1}$ , wherein said humanized immunoglobulin comprises amino acids from the donor immunoglobulin framework outside both the Kabat CDRs and the structural loop CDRs of the variable regions, wherein the donor amino acids replace corresponding amino acids in the acceptor immunoglobulin heavy chain framework at residues 48, 49, 71, 73, 76, 78, 88, and 91.

KOL?